

## SAFETY PROTECTION SHEET

## Stífluleysir (Drain opener)



## Display safety data sheet



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.

## General

Article no.

1472052, 1472054

Use of the substance / mixture

Drain opener

PROC1 Use in closed process, no likelihood of exposure

## First aid procedures

General

Show this sheet or relevant SDS to the doctor in attendance.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.

Skin contact

Flush skin thoroughly with water. Take off contaminated clothing and wash before reuse. Get medical advice/attention.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Continue flushing during transport to hospital.

Ingestion

Rinse mouth thoroughly. Drink a few glasses of water or milk. Immediately call a POISON CENTER or doctor/physician.

Acute symptoms and effects

Causes severe skin burns and eye damage. See further section 11.1 under "Potential Acute Effects"

Information for health personnel

CORROSIVE PRODUCT: Contains CAUSTIC SODA

IF IN EYES: Remember to remove lenses if they are present. Ask patient. Continue eye rinsing/treatment. Call an eye specialist in all cases.

## Protective equipment

Symbols



Limitation of exposure on workplace

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye protection

Use approved safety goggles or face shield. Safety glasses should have side shields.

Suitable eye protection

Safety glasses should have side shields.

Hand protection

Wear protective gloves.

Skin- / hand protection, short term contact

Butylrubber:

Penetration time:  $\geq 480$  minMaterial thickness:  $\geq 0,7$  mm

Suitable materials

Butylrubber (prolonged contact)

Nitrilrubber (protection against splashes)

	Chloroprene rubber. Polyvinyl chloride (PVC). Rubber (natural, latex).
Respiratory protection	Under normal conditions of use respiration protection should not be required. In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P2).
Recommended type of equipment	Not determined.
Skin protection (except hands)	Wear suitable protective clothing as protection against splashing or contamination.

## Fire fighting measures

Suitable extinguishing media	Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water or alcohol-resistant foam.
Fire fighting procedures	Fight fire with normal precautions from a reasonable distance.
Personal protective equipment	Wear respiratory protection. Wear protective gloves / protective clothing / eye protection / face protection.

## Preventitive Measures to contain emissions

Personal protection measures	Wear protective gloves / protective clothing / eye protection / face protection. Call a POISON CENTER or doctor/physician if you feel unwell.
Environmental precautionary measures	Avoid release to the environment. Collect spillage.
Cleaning method	Collect spillage.
Containment	Store in a closed container.
Other instructions	See 8.2

## Responsible company

Company name	Tandur h.f. 110 Reykjavik
Country	ICELAND
Telephone number	00354 510 1200
Emergency telephone	(+354)-543-2222 POISON CENTER 112 EMERGENCY#